


MARTIN'S DAM CLUB TENNIS PAVILION

1045 CROTON ROAD
WAYNE, PA 19087

OWNER
THE MARTIN'S DAM CLUB
1045 CROTON ROAD
WAYNE, PA 19087
phone: 610.688.9698
CONTACT PERSON: JOHN HAYES, JR
phone: 215.829.0922, ext. 117
email: jhayesjr@blackneyhayes.com

ARCHITECT
BLACKNEY HAYES ARCHITECTS
150 S. INDEPENDENCE MALL WEST
SUITE 1200
PHILADELPHIA, PA 19107
phone: 215.829.0922
fax: 215.829.0596
PROJECT ARCHITECT: JOHN HAYES, JR



Martin's Dam Tennis Club
1045 Croton Road
Wayne, PA 19087
Contact: John Hayes, Jr.



ABBREVIATIONS

AB	Anchor Bolt	DS	Downspout	ID	Inside diameter	RECEP	Receptacle
AC	Air conditioning	DWGS	Drawings	IFS	Insulation & finish	REF	Reference
ACOUS	Acoustical	DIM	Dimension	INS	Insulation	REFL	Reflective
ACP	Acous ceiling panels	DN	Down	INVT	Invert	REINF	Reinforcing
ACT-1	Acous clg tile & type	DPRFG	Dampproofing	INT	Interior	REQD	Required
AD	Access door	DS	Downspout	JAN	Janitor	REV	Revision
ADH	Adhesive	DWGS	Drawings	JT	Joint	RFG	Roofing
ADJ	Adjustable	EA	Each	JUNC	Juncture	RM	Room
AFF	Above finished floor	E JTC-1	Exp. jt. Cover & Type	JUNC	Juncture	RO	Rough opening
ALT	Alternate	EL	Elevation	LAM	Laminated	RPP	Radius reference point
ALUM	Aluminum	ELEV	Elevator	LAV	Lavatory	RWC	Rainwater conductor
ANDZ	Anodize	EMER	Emergency	LP	Low Point		
APPROX	Approximate	ENTR	Entrance	LTG	Lighting		
ARCH	Architect	EP	Extruded Polystyrene	MSNRY	Masonry	SAB	Sound attenuation blanket
ASBLY	Assembly	EQ	Equal	MATL	Material	SVF	Seamless vinyl flooring
ASL	Above Slab	ER	Existing to remain	MAX	Maximum	SCW	Solid CORE WOOD
		ESB	Exterior soffit board	MB	Mail box	SCHED	Schedule
BAL	Balance	EWC	Electric water cooler	MC	Mineral core	SHLV	Shelves
B&B	Bolled & bagged	EXH	Exhaust	MEMB	Membrane	SHT	Sheet
BD	Board	EXP	Exposed	MFR	Manufacturer	SHTHG	Sheathing
BEV	Beveled	E JT	Expansion joint	MIN	Minimum	SIM	Similar
BI	Birch	EXT	Existing	MIR	Mirror	SLNT	SEALANT
BITUM	Bituminous			MISC	Miscellaneous	SPEC	Specification
BKSPL	Backsplash	FB	Face Brick	MLWK	Millwork	SF	Square foot
BL	Borrowed Light	FEC	Fire extinguisher	MM	Millimeter	SFT	Structural Facing Tile
BLK	Block	FHC	Fire hose & valve cabinet	MO	Masonry Opening	STD	Standard
BLKG	Blocking	FDN	Foundation	MTL	Mounted	STL	Steel
BM	Beam	FL	Floor	MTD	Mounted	STOR	Storage
BOT	Bottom	FLUOR	Fluorescent	MTL	Metal	STRUC.	Structure
BRCG	Bracing	FDN	Floor drain	MULL	Mullion	STL	Stainless Steel
BRG	Bearing	FTG	Footings			SURF	Surface
BRK	Brick	FUR	Furring	NAT	Natural (finish)	SUSP	Suspended
BS	Both sides	GA	Gauge	N	North	SYST	System
		CALV	Galvanized	OA	Overall	TB	Tackboard
CAB	Cabinet	OC	On Center	NO	Not in contract	TD	Towel Dispenser
CASBD	Casing bead	GC	General contractor	NIC	Not in contract	TDR	Towel Dispenser Receptor
CB	Chalkboard	GSB	Glazed Face Brick	NOM	Nominal	THOLD	Threshold
CER	Ceramic	GL	Glass	NTS	Not to scale	TEMP	Tempered
CH	Ceiling height	GL CMU	Glazed CMU	O	Oak	TME	To Match Existing
CJT	Control joint	GR	Grade	OA	Overall	T.O.	Top of
CLG	Ceiling	GRN	Granite	OC	On Center	TPH	Toilet paper holder
CLR	Clear or clearance	GWB	Gypsum wallboard	OD	Outside diameter	TR	Through roof
CMU	Concrete masonry unit	GRB	Gypsum board	O.H.	Opposite Hand	TRZ	Terrazzo
		GL	Glass	OHD	Overhead	TSL	Top of slab
COL	Column	GL CMU	Glazed CMU	OPG	Opening	TSTL	Top of steel
COMB	Combination	GL CMU	Glazed CMU	OPP	Opposite	T.O.W.	Top of wall
CONC	Concrete	GR	Grade			TPF	Typical
CONSTR	Construction	GRN	Granite	PC	Piece	UL	UNDERWRITERS LABORATORY
CONT	Continuous	GWB	Gypsum wallboard	PLAM	Plastic Laminate	U.O.N.	UNLESS OTHERWISE NOTED
CPT	Carpet	GYP	Gypsum	PLAS	Plaster	VAR	Varies
CPS	Course	HC	Hollow core	PNT	Paint	VB	Vinyl Base
CS	Cast Stone	HDWE	Hardware	POLYC	Polycarbonate	VCT	Vinyl composite tile
CSP	Concealed	HM	Hollow metal	PR	Pair	VA	Veterans Administration
CTR	Center	HCAP	Handicapped	PRTN	Partition	VWC	Vinyl wall covering
CW	CURTAIN WALL	HNDRL	Handrail	P.T.	Pressure Treated	W/	With
CUT	Conductive Vinyl Tile	HORIZ	Horizontal	PTOL	Particulate Board	W/O	Without
DBL	Double	HP	Height	PTD	Painted	WD	Wood
DBL ACT	Double acting	HT	Height	PLWD	Plywood	WO	Window opening
DIA	Diameter	HVAC	Heating, ventilation, & air conditioning	R&S	Rod & Shelf	WPRFG	Waterproofing
DIM	Dimension	HYD	Hydrant	RAD	Radius	VST	Vinyl Stair Tread
DN	Down			RO	Roof drain		
DPRFG	Dampproofing			RCF	Raised computer floor		
				REC	Recessed		

LOCATION MAPS



DRAWING LIST

ARCHITECTURAL
COVER SHEET
SP.1 SITE PLAN
A0.1 SPECIFICATION NOTES & DEMOLITION PLAN
A1.0 FOUNDATION PLAN
A1.1 FRAMING PLANS
A1.2 FLOOR PLAN & ELECTRICAL PLAN
A2.0 BUILDING SECTIONS
A3.1 EXTERIOR ELEVATIONS
A3.2 EXTERIOR ELEVATIONS
A4.0 INTERIOR ELEVATIONS
A5.0 SCHEDULES & DETAILS

CODE DATA

International Building Code (IBC) 2006		
SUMMARY		REFERENCE
Use Group Assembly	A-3	303.1
Construction Type	VB	Table 601
Fire Protection System	Not Sprinklered	
Maximum Height Actual Height	1 Story (40'-0") 1 Story (18'-6")	Table 503
Maximum Area per Code Actual Area	6,000 SF 626 SF	Table 503
Occupant Load	15 Net SF/Occupant 379 SF [Net] / (15 SF/Occ) = 26 Occ.	Table 1004.1.1
Minimum Number of Exits	1	T.1015.1 & T.1019.2 (Max. Occ. Load <49)
Max. Distance to Exits Actual Dist.	75'-0" 32'-0"	T.1015.1 & T.1019.2 (Max. Occ. Load <49)
Fire Ratings: Exit Corridors Exit Stairs Exterior Walls (non-bearing) Interior Walls (non-bearing) Roof Systems Floor Systems Structural Members	N/A N/A 0 Hours 0 Hours 0 Hour 0 Hour 0 Hour	Table 601 Table 601 Table 601 Table 601 Table 601 Table 601
Seperation of Occupancies	N/A	
Egress Width Stair Other	0.2"/occupant 0.15"/occupant	Table 1005.1

IMPERVIOUS COVERAGE CALCULATIONS		
	EXISTING	PROPOSED
TOTAL PROPERTY AREA	1,534,200 SQ. FT.	1,534,200 SQ. FT.
TENNIS PAVILION IMPERVIOUS COVERAGE		
TENNIS PAVILION BUILDING	247 SQ. FT.	626 SQ. FT.
DECK / PATIO	853 SQ. FT.	1078 SQ. FT.
ADJACENT PAVED WALKWAYS	N/A	776 SQ. FT.
NET PARKING AREA DECREASE (DUE TO ASPHALT DEMOLITION)	N/A	-190 SQ. FT.
TOTAL	1100 SQ. FT.	2290 SQ. FT.
TOTAL IMPERVIOUS COVERAGE	211,529 SQ. FT.	212,719 SQ. FT.
IMPERVIOUS COVERAGE %	13.8 %	13.9 %

ISSUE INFORMATION


PERMIT PROGRESS SET: JANUARY 11, 2008

PERMIT/PRICING SET: MAY 12, 2008

Martin's Dam Club
Tennis Pavilion
1045 Croton Road
Wayne, PA 19087


BHA PROJECT NO: 07-073

BLACKNEY
HAYES
ARCHITECTS



1 SITE PLAN
SP.1 SCALE: 1/8" = 1'-0"

NOTE: ALL GRADING INFORMATION IS APPROXIMATE.
DRAWINGS SHOW INTENT; ADJUSTMENTS WILL BE REQUIRED FOR ACTUAL CONDITIONS.
CONSULT ARCHITECT REGARDING ALL FINAL / ACTUAL GRADING CONDITIONS.



150 S. Independence Mall West
Suite 1200
Philadelphia, Pennsylvania 19106
phone: 215.829.0922
facsimile: 215.829.0596

Structural Engineer:

Pennoni Associates Inc.
2401 Avenue C, Suite 100
Bethlehem, PA 18017
phone: 610.231.0600
facsimile: 610.231.2033

Owner:



Project Team

Project

Martin's Dam Club
Tennis Pavilion
1045 Croton Road
Wayne, PA 19087

Sheet Title

SITE PLAN

Seal

Warning: Actual Conditions may vary from conditions shown on this drawing. Confirm all information in the field before proceeding with any work and notify the Architect in writing if a variation is discovered.

This drawing is an instrument of professional services and shall not be modified, copied or used for another project without the written consent of the Architect.

Release

Date	Comments	
12.14.07	PERMIT PROGRESS SET	△
05.12.08	PERMIT/PRICING SET	

BHA Job Number: 07-073

Scale: AS NOTED

Drawn By: AW, ES, JG

Checked By: JH Sr.

Approved By: JH

Sheet No.


SP.1


OUTLINE SPECIFICATION NOTES NEW TENNIS PAVILION THE MARTIN'S DAM CLUB 1045 Croton Road Box 4, Wayne, PA 19087 Upper Merion Township
01 GENERAL CONDITIONS
1. OWNER FOR THIS PROJECT IS: THE MARTIN'S DAM CLUB BOX 4, WAYNE, PA 19087 2. ARCHITECT FOR THIS PROJECT IS: BLACKNEY HAYES ARCHITECTS 150 INDEPENDENCE MALL WEST SUITE 1200 PHILADELPHIA, PA 19106 215-829-0922 CONTACT: JULIET GELDI 3. OWNER WILL OBTAIN AND PAY FOR UPPER MERION TOWNSHIP BUILDING PERMIT. GENERAL CONTRACTOR SHALL OBTAIN AND PAY FOR ALL OTHER REQUIRED PERMITS. 4. GENERAL CONTRACTOR SHALL FILE A WAIVER OF LIENS WITH MONTGOMERY COUNTY PRIOR TO STARTING ANY WORK AT THIS SITE. 5. PRIOR TO STARTING WORK, GENERAL CONTRACTOR SHALL PROVIDE THE OWNER WITH EVIDENCE OF INSURANCE COVERAGE. 6. TEMPORARY WATER AND ELECTRIC SERVICE REQUIRED FOR CONSTRUCTION CAN BE OBTAINED FROM THE OWNER'S LINES AT THE PROJECT SITE.
02 EXISTING CONDITIONS AND DEMOLITION
CONTRACTOR TO REMOVE EXISTING TENNIS PRO SHOP, DECK, AND STORAGE SHED, INCLUDING ALL FOUNDATIONS AND SLABGS ON GRADE. OWNER TO REMOVE DESIGNATED TREES. OWNER WILL ARRANGE AND PAY FOR REMOVAL OF EXISTING ELECTRICAL SERVICE TO TENNIS PAVILION. ALL DEMOLITION TO BE COMPLETED PRIOR TO START OF NEW CONSTRUCTION.
03 CONCRETE
4,000 PSI., MIN. 4" THICKNESS ON 4" GRAVEL BED. INSTALL FOR FOOTINGS AND SONOTUBES, STEPS, WALKS, AND RAMP. REINFORCE WITH 6-10 GAUGE WIRE MESH FOR SLABS. SEE DETAILS FOR CONCRETE STEP REINFORCING.
04 MASONRY
C-90 CONCRETE BLOCKS. FILL CORES WITH GROUT. INSTALL DUR-O-WAL LADDER TYPE REINFORCING AT EVERY OTHER COURSE. PROVIDE PRE-FABRICATED 8"x16" BLOCK VENTS WITH INTEGRAL SCREENS.
05 METALS
STAINLESS STEEL RAILING CABLES. SEE "MISCELLANEOUS."
06 WOOD AND PLASTICS
CONSTRUCTION GRADE HEM FIR FOR BEAMS AND JOISTS IN SIZES INDICATED. FIELD FABRICATE THE ROOF FRAMING AS SHOWN. ALL EXPOSED LUMBER SHALL BE PRESSURE TREATED. SHEATHING: FLOOR: 3/4" PLYWOOD. ROOF: 5/8" EXTERIOR GRADE PLYWOOD. U.S. PLYWOOD TEXTURE 111" CEDAR PLYWOOD (3/4") AT UNDER SIDE OF ROOF WHERE INDICATED. DECK PLANKING: CERTAINTED "BOARDWALK" 5/4" x 6" PLANKS. INTERIOR TRIM: CLEAR POPLAR. EXTERIOR TRIM AT WINDOWS AND DOORS: CLEAR CEDAR, PAINTED. EXTERIOR SIDING: 1" X 6" CEDAR. GUARDRAIL CAPS AND HANDRAILS: CLEAR MAHOGANY OR APPROVED SIMILAR WOOD. WOOD SKIRT BELOW DECK: BASE BID: 3/4" X 6" MAHOGANY W/ 1/2" SPACING BETWEEN BOARDS. ALTERNATE #1: 5/8" T-111 CEDAR PLYWOOD W/ 1-1/4" X 3/4" CEDAR APPLIED BATTEN STRIPS TO BE STAINED.

07 THERMAL AND MOISTURE PROTECTION
SHINGLES: CERTAINTED 350 LB. LANDMARK TL ULTIMATE. FLASHING: .040 INCH ALUMINUM. GUTTERS: 24 GAUGE GALVANIZED 6" HALF-ROUND WITH HANGERS BY BERGER BUILDING PRODUCTS OR APPROVED EQUAL. PARGE AND DAMPPROOF FACES OF CMU FOUNDATION WALLS AT AREAS OF CONTACT WITH EARTH.
08 OPENINGS
DOORS: 1 3/4" SOLID CORE WITH PAINT GRADE BIRCH VENEER. EXTERIOR DOOR: 1 1/2 PR. HINGES. 4 1/2x4 1/2" ENTRY LOCK, THRESHOLD, CLOSER. INTERIOR DOOR: 1 1/1 PR. HINGES, STOREROOM LOCK. ALLOW \$800 FOR PURCHASE OF DOOR HARDWARE. WINDOWS: MARVIN CLAD AWNING, GLIDER AND CASEMENT WITH 5/8" INSULATING GLASS. ARCHITECT TO SELECT EXTERIOR FINISH COLOR.

09 FINISHES
STUCCO: 3 COAT SYSTEM ON TWO LAYERS OF 15# FELT. INSTALL ON GALVANIZED LATH. FINAL COAT: ACRYLIC FINISH EQUAL TO DRYVIT "DEMANDIT." GYPSUM WALL BOARD: 5/8" USG NON-SAG. INSULATION: BLANKET TYPE W/ INTEGRAL VAPOR BARRIER BY OWENS CORNING FIBERGLASS. PROVIDE R=30 AT ROOF; R=19 AT WALLS. FLOORS: INDOOR / OUTDOOR CARPET. STAIN EXTERIOR SIDING, TRIM, EXPOSED FRAMING AND ROOF SOFFITS.
10 MISCELLANEOUS
DECK RAILING: VERTICAL MAHOGANY / IPE POSTS DRILLED TO RECEIVE STAINLESS STEEL HORIZONTAL CABLES @ 3" O.C. TOP RAIL TO BE MAHOGANY / IPE (SEE DRAWINGS).
11 EQUIPMENT
CONTRACTOR TO PROVIDE ELECTRIC SPLIT SYSTEM PACKAGE UNIT HEAT PUMP SIMILAR TO MITSUBISHI MULTI-SPLIT UNIT WITH ONE FAN UNIT IN PRO SHOP AND ANOTHER FAN UNIT IN WORK AREA. SYSTEM TO BE SIZED FOR BOTH PRO SHOP AND WORK ARE ON DESIGN/BUILD BASIS.


26 ELECTRICAL
BY OWNER. ALL OUTLETS 12" A.F.F., U.N.O.
31 EARTHWORK
PROVIDE ALL REQUIRED EROSION CONTROL DEVICES PRIOR TO STARTING EXCAVATION. REMOVE DESIGNATED AREAS OF BLACK TOP PAVING AND CURBS. RE-GRADE TO CONTOURS INDICATED ON THE DRAWINGS. EXCAVATE FOR FOUNDATIONS INCLUDING NEW SONOTUBE LOCATIONS. AT COMPLETION OF CONSTRUCTION, FINAL GRADES TO MATCH INDICATED GRADES. OWNER TO INSTALL ALL SEEDING, SODDING AND LANDSCAPING. INSTALL NEW ASPHALT PAVING WHERE INDICATED. INSTALL E.P. HENRY CONCRETE RETAINING WALL BLOCKS ("COVENTRY" LINE) AT NEW WALL-CURB AREAS.





1 FOUNDATION PLAN
A1.0 SCALE: 1/4" = 1'-0"

NOTE:
ALL GRADE ELEVATIONS ARE APPROXIMATE - VERIFY IN FIELD.
BOTTOM OF FOOTINGS AND SONOTUBES TO BE LOCATED AT MINIMUM 3'-0" BELOW GRADE.
STEP FOOTINGS AS NECESSARY TO FOLLOW GRADE CHANGES; MAXIMUM 2'-0" ELEVATION CHANGE PER STEP.




2 CONCRETE STAIR SECTION
A1.0 SCALE: 3/4" = 1'-0"



150 S. Independence Mall West
Suite 1200
Philadelphia, Pennsylvania 19106
phone: 215.829.0922
facsimile: 215.829.0596

Structural Engineer:
Pennoni Associates Inc.
2401 Avenue C, Suite 100
Bethlehem, PA 18017
phone: 610.231.0600
facsimile: 610.231.2033



Project Team
Project
Martin's Dam Club
Tennis Pavilion
1045 Croton Road
Wayne, PA 19087

Sheet Title
FOUNDATION PLAN
FLOOR & DECK
FRAMING PLAN

Seal

Warning: Actual Conditions may vary from conditions shown on this drawing. confirm all information in the field before proceeding with any work and notify the Architect in writing if a variation is discovered.


This drawing is an instrument of professional services and shall not be modified, copied or used for another project without the written consent of the Architect.

Release		
Date	Comments	
12.14.07	PERMIT PROGRESS SET	
05.12.08	PERMIT/PRICING SET	



BHA Job Number: 07-073
Scale: AS NOTED
Drawn By: AW, ES, JG
Checked By: JH Sr.
Approved By: JH

Sheet No.



A1.0



1 FLOOR AND DECK FRAMING PLAN
SCALE: 1/4" = 1'-0"




2 ROOF FRAMING PLAN
SCALE: 1/4" = 1'-0"



150 S. Independence Mall West
Suite 1200
Philadelphia, Pennsylvania 19106
phone: 215.829.0922
facsimile: 215.829.0596

Structural Engineer:
Pennoni Associates Inc.
2401 Avenue C, Suite 100
Bethlehem, PA 18017
phone: 610.231.0600
facsimile: 610.231.2033



Project Team
Project
Martin's Dam Club
Tennis Pavilion
1045 Croton Road
Wayne, PA 19087

Sheet Title
FRAMING PLANS

Seal

Warning: Actual Conditions may vary from conditions shown on this drawing. confirm all information in the field before proceeding with any work and notify the Architect in writing if a variation is discovered.


This drawing is an instrument of professional services and shall not be modified, copied or used for another project without the written consent of the Architect.

Release		
Date	Comments	
12.14.07	PERMIT PROGRESS SET	△
05.12.08	PERMIT/PRICING SET	

BHA Job Number: 07-073
Scale: AS NOTED
Drawn By: AW, ES, JG
Checked By: JH Sr.
Approved By: JH

Sheet No.


A1.1



1 FLOOR PLAN
A1.2 SCALE: 1/4" = 1'-0"


WALL TYPE LEGEND			
TYPE	DIAGRAM	DESCRIPTION	RATING
1		LOAD-BEARING EXTERIOR WALL 2x6 WOOD STUDS @ 16" O.C. R-21 BATT INSULATION INTERIOR: 5/8" GWB EXTERIOR (UPPER): 1x6 GRADE D CEDAR V-GROOVE BOARD ON 3/4" PLYWOOD EXTERIOR (LOWER): 3-COAT CEMENT PLASTER FINISH WITH METAL LATH ON 3/4" PLYWOOD	--
2		NON-LOAD BEARING PARTITION WALL 2x6 WOOD STUDS @ 16" O.C. W/ 5/8" GWB BOTH SIDES.	--

ELECTRICAL SYMBOLS		ALLOWANCES
	PENDANT LIGHT SELECTED BY OWNER	\$100 / FIXTURE
	DUPLEX OUTLET	BY G.C.
	POWER CONNECTION FOR HEAT PUMP	BY G.C.
	SURFACE FIXTURE SELECTED BY OWNER	\$25 / FIXTURE
	HARD WIRED SMOKE DETECTOR.	BY G.C.
	SWITCH	BY G.C.
	SWITCH W/ LIGHTED TOGGLE	BY G.C.
	TRACK LIGHTING / ONE HEAD PER 3'-0" OF TRACK	BY G.C.
	INTERIOR FLORESCENT PENDANT LIGHT	\$150 / FIXTURE
	HOODED FLOODLIGHT W/ MOTION/DAYLIGHT SENSOR	BY G.C.



150 S. Independence Mall West
Suite 1200
Philadelphia, Pennsylvania 19106
phone: 215.829.0922
facsimile: 215.829.0596

Structural Engineer:
Pennoni Associates Inc.
2401 Avenue C, Suite 100
Bethlehem, PA 18017
phone: 610.231.0600
facsimile: 610.231.2033



Project Team
Project
Martin's Dam Club
Tennis Pavilion
1045 Croton Road
Wayne, PA 19087

Sheet Title
FLOOR PLAN
& ELECTRICAL PLAN

Seal

Warning: Actual Conditions may vary from conditions shown on this drawing. confirm all information in the field before proceeding with any work and notify the Architect in writing if a variation is discovered.



This drawing is an instrument of professional services and shall not be modified, copied or used for another project without the written consent of the Architect.


Release		
Date	Comments	
12.14.07	PERMIT PROGRESS SET	
05.12.08	PERMIT/PRICING SET	

BHA Job Number: 07-073
Scale: AS NOTED
Drawn By: AW, ES, JG
Checked By: JH Sr.
Approved By: JH

Sheet No.


A1.2





150 S. Independence Mall West
Suite 1200
Philadelphia, Pennsylvania 19106
phone: 215.829.0922
facsimile: 215.829.0596

Structural Engineer:
Pennoni Associates Inc.
2401 Avenue C, Suite 100
Bethlehem, PA 18017
phone: 610.231.0600
facsimile: 610.231.2033



Project Team
Project
**Martin's Dam Club
Tennis Pavilion**
1045 Croton Road
Wayne, PA 19087

Sheet Title
EXTERIOR ELEVATIONS

Seal

Warning: Actual Conditions may vary from conditions shown on this drawing. confirm all information in the field before proceeding with any work and notify the Architect in writing if a variation is discovered.



This drawing is an instrument of professional services and shall not be modified, copied or used for another project without the written consent of the Architect.


Release		
Date	Comments	
12.14.07	PERMIT PROGRESS SET	△
05.12.08	PERMIT/PRICING SET	

BHA Job Number: 07-073
Scale: AS NOTED
Drawn By: AW, ES, JG
Checked By: JH Sr.
Approved By: JH

Sheet No.


A3.1





150 S. Independence Mall West
Suite 1200
Philadelphia, Pennsylvania 19106
phone: 215.829.0922
facsimile: 215.829.0596

Structural Engineer:
Pennoni Associates Inc.
2401 Avenue C, Suite 100
Bethlehem, PA 18017
phone: 610.231.0600
facsimile: 610.231.2033



Project Team
Project
**Martin's Dam Club
Tennis Pavilion**
1045 Croton Road
Wayne, PA 19087

Sheet Title
EXTERIOR ELEVATIONS

Seal

Warning: Actual Conditions may vary from conditions shown on this drawing. Confirm all information in the field before proceeding with any work and notify the Architect in writing if a variation is discovered.


This drawing is an instrument of professional services and shall not be modified, copied or used for another project without the written consent of the Architect.

Release	
Date	Comments
12.14.07	PERMIT PROGRESS SET
05.12.08	PERMIT/PRICING SET


BHA Job Number: 07-073
Scale: AS NOTED
Drawn By: AW, ES, JG
Checked By: JH Sr.
Approved By: JH

Sheet No.


A3.2




1 EAST ELEVATION
A3.2 SCALE: 1/4" = 1'-0"




2 DECK SKIRT SUPPORT FRAMING ELEVATION
A3.2 SCALE: 1/4" = 1'-0"








3 WEST ELEVATION
A3.2 SCALE: 1/4" = 1'-0"







4 WEST ELEVATION
A3.2 SCALE: 1/4" = 1'-0"




1 WORK AREA INTERIOR ELEVATIONS
A4.0 SCALE: 1/4" = 1'-0"



2 PRO SHOP INTERIOR ELEVATIONS
A4.0 SCALE: 1/4" = 1'-0"




3 PRO SHOP TROPHY CASE
A4.0 SCALE: 1" = 1'-0"



150 S. Independence Mall West
Suite 1200
Philadelphia, Pennsylvania 19106
phone: 215.829.0922
facsimile: 215.829.0596

Structural Engineer:
Pennoni Associates Inc.
2401 Avenue C, Suite 100
Bethlehem, PA 18017
phone: 610.231.0600
facsimile: 610.231.2033



Project Team
Project
Martin's Dam Club
Tennis Pavilion
1045 Croton Road
Wayne, PA 19087

Sheet Title
INTERIOR ELEVATIONS

Seal

Warning: Actual Conditions may vary from conditions shown on this drawing. confirm all information in the field before proceeding with any work and notify the Architect in writing if a variation is discovered.


This drawing is an instrument of professional services and shall not be modified, copied or used for another project without the written consent of the Architect.

Release		
Date	Comments	
12.14.07	PERMIT PROGRESS SET	
05.12.08	PERMIT/PRICING SET	

BHA Job Number: 07-073
Scale: AS NOTED
Drawn By: AW, ES, JG
Checked By: JH Sr.
Approved By: JH

Sheet No.

A4.0




1 WINDOW TYPES
A5.0 SCALE: 1/4" = 1'-0"


WINDOW SCHEDULE					
TYPE	FRAME SIZES				MODEL NUMBER
	GL. TYPE	MAT'L	WIDTH	HEIGHT	
1	TRANS.	GL.	3'-0"	2'-11 1/8"	AWNING - CAWN3636
2	TRANS.	GL.	1'-4"	2'-11 1/8"	CASEMENT - CCM1636
3	TRANS.	GL.		2'-11 1/8"	AWNING - CAWN3636 - 3 WIDE
4	TRANS.	GL.	6'-1/2"	3'-0"	GLIDER - CGL6030

WINDOW NOTES


1. Awning windows to be Marvin wood interior / aluminum clad exterior windows with dual pane insulating glass.
2. Glider windows to be Marvin wood interior / aluminum clad exterior windows with dual pane insulating glass.
3. Casement window to be Marvin wood interior / aluminum clad exterior windows with dual pane insulating glass. Unit to be fixed.
4. All windows within 18" of the floor and 24" of a door shall be tempered.
5. Interior finish to be white primer.
6. Exterior aluminum clad finish color to be determined.
7. Provide Perma-Clean insect screens; frame finish to be white.
8. Provide Contemporary style folding window hardware in white finish.
9. Muntins to be 7/8" wide Simulated Divided Lite with spacer bar.




5 STAIR / RAMP POST ELEVATION
A5.0 SCALE: 1 1/2" = 1'-0"




6 STAIR / RAMP POST PLANS
A5.0 SCALE: 1 1/2" = 1'-0"




7 END POST ELEVATION
A5.0 SCALE: 1 1/2" = 1'-0"




8 END POST PLAN
A5.0 SCALE: 1 1/2" = 1'-0"




9 INTERMEDIATE POST ELEVATION
A5.0 SCALE: 1 1/2" = 1'-0"




10 INTERMEDIATE POST PLAN
A5.0 SCALE: 1 1/2" = 1'-0"




11 GUARDRAIL / SKIRT SECTION
A5.0 SCALE: 1 1/2" = 1'-0"




3 GABLE VENT ELEVATION
A5.0 SCALE: 1 1/2" = 1'-0"




4 GABLE VENT SECTION
A5.0 SCALE: 1 1/2" = 1'-0"




12b FOOTWASH POST DETAIL
A5.0 SCALE: 3/4" = 1'-0"



12a FOOTWASH SECTION
A5.0 SCALE: 3/4" = 1'-0"



13 CISTERN / GUTTER SECTION
A5.0 SCALE: 3/4" = 1'-0"



150 S. Independence Mall West
Suite 1200
Philadelphia, Pennsylvania 19106
phone: 215.829.0922
facsimile: 215.829.0596

Structural Engineer:

Pennoni Associates Inc.
2401 Avenue C, Suite 100
Bethlehem, PA 18017
phone: 610.231.0600
facsimile: 610.231.2033

Owner:



Project Team

Project

Martin's Dam Club
Tennis Pavilion
1045 Croton Road
Wayne, PA 19087

Sheet Title

SCHEDULES
DETAILS

Seal

Warning: Actual Conditions may vary from conditions shown on this drawing. confirm all information in the field before proceeding with any work and notify the Architect in writing if a variation is discovered.

This drawing is an instrument of professional services and shall not be modified, copied or used for another project without the written consent of the Architect.

Release

Date	Comments	
12.14.07	PERMIT PROGRESS SET	
05.12.08	PERMIT/PRICING SET	

BHA Job Number: 07-073

Scale: AS NOTED

Drawn By: AW, ES, JG

Checked By: JH Sr.

Approved By: JH

Sheet No.

A5.0